



ALL PRODUCTS BROCHURE



No other air filter manufacturer has a broader line of products to meet the demanding needs of an increasingly complex market.

EFFICIENCY SELECTION GUIDE

(1) Arrestance	(1)Efficiency	(2)MERV rating	Filter Type	Airguard Product Selection
60 - 80%	Less Than 20%	MERV 1 - 4	Disposable Panel Filters Permanent Metal Filters Fiberglass Media Latex Coated Natural Fiber Media Foam Media Automatic Roll Media	Disposables Types HS, HD Standard Grade Permalast® Foam Media Types CF, DSF
80 - 90%	Less Than 20%	MERV 5	Disposable Panel Filters Synthetic Media Automatic Roll Filter Media	Tri-Plex 85® StreamLine™ Polyester Media Types YTS, SHP, DMC, DL-1, DL-2
90 - 95%	20 - 30%	MERV 6 - 7	Self-Supported Pocket Filters Ring Panel Filters Pleated Filters	Activator Series (2 Ply, 3 Ply), Series N, Bio-Pure® Ring Panel DP4-SA, Bio-Pure® Pleat
95%	30 - 40%	MERV 7 - 8	Pleated Filters Self-Supported Pocket Filters	DP®40, DP®40-Max, XTREME+Plus®, PowerGuard™ (MERV-11), DPGT, DPHT, Fresh Air™, Fresh Air™ Supreme SynPak, Ultra II Bags
95 - 98%	40 - 50%	MERV 8 - 9	Bag Filters	Venti-Pak® VP-4
95 - 98%	50 - 60%	MERV 9 - 10	Pleated Filters Extended Surface Pocket Filters Extended Surface Rigid Cell Filters	DP-65 (MERV 11) Venti-Pak® VP-5 Vari-Pak®, Vari-Pak® Model S
99%	60 - 70%	MERV 10 - 11	Bag Filters Extended Surface Rigid Cell Filters	Clean-Pak™ CP-5, Venti-Pak® VP-6 Bio-Pure® Variflow®, Variflow® SC, Variflow® Compact Series, Variflow® II-M, Variflow® II-MC, Vari+Plus®, Vari-Pak®, Vari-Pak® Model S, Bio-Pure®, V-Force®, Legacy®
99%	70 - 80%	MERV 12 - 13	Pleated Filters Bag Filters	DP-g13een® Clean-Pak™ CP6
99%	80 - 90%	MERV 13 - 14	Bag Filters Extended Surface Rigid Cell Filters	Defiant®, Clean-Pak™ CP-8, Venti-Pak® VP-8, Bio-Pure® Variflow®, Variflow® SC, Variflow® Compact Series, Variflow® II-M, Variflow® II-MC Vari+Plus®, Vari-Pak®, Vari-Pak® Model S, Bio-Pure®, Legacy® LoadTech™ 4", V-Force®
99%	90 - 95%	MERV 14 - 15	Bag Filters Extended Surface Rigid Cell Filters	Nano-Pak™, Defiant®, Clean-Pak™ CP-9, Venti-Pak® VP-9, Bio-Pure® Variflow®, Variflow® SC, Variflow® Compact Series, Variflow® II-M, Variflow® II-MC, Vari+Plus®, Vari-Pak®, Vari-Pak® Model S, Legacy®, Bio-Pure®, Vari+Plus® AG, V-Force®
Does not apply	95% DOP	MERV 16	Bag Filters Extended Surface Rigid Cell Filters	Nano-Pak™ Advantage®, Micro Guard® 95, Vari+Plus®, Micro Guard® LR
Does not apply	99.97% 99.99% 99.999% 99.9995%	Not Applicable	HEPA/ULPA Filters	Micro Guard® 99, MicroPleat™

(1) Arrestance and Dust Spot Efficiency ratings are based on the ASHRAE 52.1 - 1992 test method.

(2) Minimum Efficiency Reporting Value (MERV) ratings are based on the ASHRAE 52.2 test method.

PANEL FILTERS

DISPOSABLE PANEL FILTERS



Disposable

Disposables


- 1/2", 1", 2" thicknesses
- Fiberglass and synthetic media
- Pinch frame construction with scrim retainer
- 65 - 85% arrestance

Tri-Plex® 85

- Industrial grade fiberglass media
- Die cut beverage board frame
- 75 - 80% arrestance



Tri-Plex 85



PERMANENT METAL FILTERS

- Type HD - Steel construction
- Type HS - Aluminum construction
- Washable for repeated use
- Ideal for high moisture or high velocity conditions
- 60 - 75% arrestance

SPECIALTY MEDIAS AND FILTERS

Fiberglass Medias

- Select from three grades
- 1", 2", 4" thicknesses
- 70 - 90% arrestance



Permalast® Media

- Synthetic fiber media
- 1/2", 1", 2" thicknesses
- Rigid, self-supporting
- Washable
- 50 - 65% arrestance



Foam Media

- 1/4", 1/2", 1" thicknesses
- Washable
- Operates at -50°F to 250° F
- 55 - 65% arrestance

PLEATED FILTERS

Widest variety of pleated filters available.

Type DP® 40/ DP Max Pleated Filters

- 1", 2", 4", 6" (only DP Max) thicknesses
- Die cut beverage board frame
- 100% synthetic media
- 15.0 (DP40), 10.0 (DP Max) pleats per foot (2" depth)
- MERV 8 (Mechanical)



XTREME+Plus® Pleated Filters

- MERV 8 (Mechanical)
- 100% synthetic media
- 16.4 (HC), 10.16 (SC) pleats per foot (2")
- 1", 2", 4" High capacity
- 1", 2" Standard capacity
- Self supported
- Damage resistant
- No metal
- Fully incinerable



DP-Green 13®

- 100% Synthetic media
- 1", 2", 4" thicknesses
- 17.5 pleats per foot (2")
- LEED/Green compliant
- MERV 13

PowerGuard™ Filter

- 1", 2", 4" thicknesses
- Die cut beverage board frame
- 100% synthetic media
- 14.3 pleats per foot (2")
- 35 - 40% efficiency, MERV 11



Type DPGT

Heavy Duty Pleated Filters

- Pleat stabilizer fingers
- 2", 4" thicknesses
- 30 - 35% efficiency, MERV 8



Type DPHT

High Temperature Pleated Filters

- Operates up to 500°F
- 1", 2", 4" thicknesses
- Aluminized steel frame and support grid
- Ultrafine fiberglass media
- 35 - 40% efficiency



Type DP-65, DP-85, DP-95

High Efficiency Pleated Filters for low velocity applications

- 2", 4" thicknesses
- Die cut beverage board frame
- Ultrafine fiberglass media
- Three efficiencies
- 50 - 55%, 75 - 80%, 80 - 85%
- 4" DP-65 provides highest efficiency available in a pleated filter operating at 500 FPM (50 - 55%)

Type DP4SA

Side Access Filters

- Same construction as standard Type DP
- 4" thickness
- 1" header on top and bottom is designed for side access systems
- 25 - 30% and 35 - 40% (PowerGuard) efficiencies

BAG FILTERS



Nano-Pak™ Bag Filters

- Revolutionary, patented NanoWave® synthetic media
- High mechanical filtration performance over the life of the filter
- High loft media optimized for the highest dust holding capacity
- Low pressure drop
- Low energy costs
- Resistant to humidity and moisture
- Two efficiencies –
MERV 16
MERV 15

NanoWave® is a registered trademark of Hollingsworth & Vose Company.



Defiant® Bag Filters

- Exclusive, patented synthetic media with T-Flo® technology
- Holds more dust with a lower pressure drop than Clean-Pak
- Lower resistance than Clean-Pak
- Resistant to humidity and moisture
- Two efficiencies –
MERV 15
MERV 14

T-Flo® is a registered trademark of Transweb.



Clean-Pak™ Bag Filters

- Commodity synthetic media that's electrostatically enhanced
- Resistant to humidity and moisture
- Four efficiencies –
MERV 15
MERV 14
MERV 12
MERV 11



Venti-Pak® Bag Filters

- Ultrafine, high loft, microglass media
- Wide variety of pocket lengths and counts
- Fail safe mechanically staked pocket attachment
- Double lock stitched pocket formation
- Four efficiencies –
MERV 15
MERV 13
MERV 12
MERV 11

EXTENDED SURFACE RIGID CELL FILTERS



Legacy® LoadTech™

- E-pleat® proprietary media
- 4" MERV 14
- Holds 2X more dust with 100% synthetic, exclusive, blue media with our LoadTech Embossed Design
- Longer filter life and fewer filter change-outs with higher dust holding capacity
- 12" filter performance in a 4" filter
- Cost savings – reduced energy costs with low pressure drop and low energy consumption
- Simplified handling and easy installation – plus reduced storage space, less weight and lower shipping costs
- Completely incinerable with high impact plastic frame
- Lightweight construction



MERV 14 & 15 models meet the efficiency requirements required to contribute points toward a LEED/Green Building certification. Lower Energy Costs.

Legacy®

- E-pleat® proprietary media
- Low resistance
- High efficiency
- High dust holding capacity
- 4" MERV 11
12" MERV 11 & 15
- 100% Synthetic media
- Moisture resistant
- Chemical resistant
- All plastic construction
- Fully incinerable
- Lightweight

EXTENDED SURFACE RIGID CELL FILTERS



Advantage®

- 2" Mini-Pleat design provides higher efficiency and dust holding
- MERV 16/14A in accordance with ASHRAE test method 52.2 – 2007, including Appendix J
- Optimal air flow ensures proper ventilation of occupied spaces
- Durable plastic frame
- No metal components; completely incinerable
- Available with Side and Up/Downstream Gasketing



Vari+Plus® VP

- All plastic construction
- No metal components
- Dura-Tuff 100% synthetic media
- Fully incinerable
- Suitable for selected corrosive or chemical environments
- Three efficiencies - MERV 15 (90 - 95%)
MERV 13 (80 - 85%)
MERV 11 (50 - 55%)



Variflow®

Extended Surface Rigid Cell Filters

- Ultrafine microglass paper media
- Moisture resistant construction
- Single header, double header, no header models
- Metal and wood cell sides
- Corrugated aluminum separators
- High temperature models up to 900°F
- Three efficiencies - MERV 14 (90 - 95%)
MERV 13 (80 - 85%)
MERV 11 (50 - 55%)
MERV 10 (40 - 45%)

Variflow® SC

Same construction as Variflow, except less media



V-Force®

- All plastic construction
- 100% synthetic media
- Moisture and chemical resistant
- Fully incinerable
- Low resistance
- Three efficiencies - MERV 14 (90 - 95%)
MERV 13 (80 - 85%)
MERV 11 (50 - 55%)



Vari-Pak®

Extended Surface Rigid Box Filters

- Ultrafine high loft microglass media
- Pleated construction with pleat stabilizers (fingers) on both sides
- Galvanized steel cell sides
- Box construction (no header) and header models
- Four efficiencies - MERV 14 (90 - 95%)
MERV 13 (80 - 85%)
MERV 11 (50 - 55%)
MERV 10 (40 - 45%)



Vari-Pak® Model S

Same construction as standard Vari-Pak filters except made with dual layer, microfne synthetic media.

Vari+Plus®

High-capacity Extended Surface Mini-Pleat Filters

- Ultrafine microglass paper media
- Moisture resistant construction
- Continuous bead, mini-pleat adhesive separators
- V-bank assembly of mini-pleat media packs
- Large media area, low resistance
- Five efficiencies - 95% DOP, (MERV 16)
95%, (MERV 16)
MERV 14 (90 - 95%)
MERV 13 (80 - 85%)
MERV 11 (50 - 55%)

Vari+Plus® MC

Vari+Plus style mini-pleat media packs contained in galvanized steel cell sides.

HEPA AND NEAR-HEPA FILTERS

SEPARATOR STYLE FILTERS



Micro Guard® LR

- 99%+ efficiency on 0.3 micrometer particles
- Available in High-Impact Plastic (HIPS)
- Available in single header or box styles or metal core sides
- E-pleat® proprietary media
- Available in 4 sizes
- Standard dove-tail interlocking gasketing



Micro Guard®

- Wood and metal construction
- Gasket seal and gel seal models
- Wide variety of cell side configurations
- Corrugated aluminum separators
- Three efficiencies - 99.97%, 99.99%, 99.999% on 0.3 micrometers

Micro Guard® SC Series

- Same media and construction as standard
- Micro Guard, except fewer pleats
- 99.97% efficiency

Patent #6,685,833



HIGH CAPACITY HEPA FILTERS



Micro Guard® Separator Style

- 500 FPM @ 1.35" W.G.
- 99.97%, 99.99% efficiencies

Micro-V 2000 Mini-Pleat Style

- 500 FPM @ 1.2" W.G.
- 99.97%, 99.99% efficiencies @ 500 FPM
- 99.999% efficiency @ 400 FPM

Micro-V 2400

- 600 FPM @ 1.35" W.G.
- 99.97% efficiency



CLEANROOM PRODUCTS



Disposable Ducted Ceiling Modules

- Anodized extruded aluminum construction
- 2' x 2' and 2' x 4' sizes
- Low profile design - 5" deep.
- Fits into T-bar ceiling grid
- Adjustable diffuser/damper
- Five efficiencies - 99.97%, 99.99%, 99.999% on .3 micrometers; 99.999%, 99.9995% on .12 micrometers


MINI-PLEAT SEPARATOR STYLE FILTERS

MicroPleat™

- Ultrafine microglass paper media
- Anodized extruded aluminum cell sides
- Gasket seal, gel seal and knife edge models
- Continuous bead mini-pleat adhesive separators
- Five efficiencies - 99.97%, 99.99%, 99.999% on 0.3 micrometers; 99.999%, 99.9995% on 0.12 micrometers



GAS PHASE ADSORBERS



Fresh Air™

- Combination 30 - 35%, MERV 8 pleated pre-filter with activated carbon
- Die cut beverage board frame
- 1", 2", 4" thicknesses
- Self-supported media, no metal

Fresh Air™ Supreme

- Chemically enhanced carbon media
- Removes wider range of odors than standard activated carbon
- 30 - 35% efficiency, MERV 8
- Self-supported media, no metal

IAQ-99

- Combination polyester pre-filter with bonded carbon fibers
- Available with die cut beverage board frame or pad design
- 1", 2" thicknesses

IAQ-100 Series

- Select from activated carbon, potassium permanganate or blended media
- Honeycomb carbon loading
- 25%, 50%, 75% and 100% fill
- Steel frame
- 3/8", 1", 2" thicknesses

IAQ-108

- Self-sealing panel construction
- Combination polyester pre-filter with bonded carbon fibers

EXTENDED SURFACE FILTERS

Vari-Pure®

High Capacity Activated Carbon Filters

- Select from activated carbon, impregnated carbon, potassium permanganate or blended media
- Effective on wide variety of gases and odors
- Vari-Sock afterfilter prevents carbon dusting downstream
- 12" deep



Vari-Klean®

Ultra High Efficiency Carbon Adsorber

- Pleated media design increases carbon content
- Offers high first pass removal efficiency



REPLACEMENT TRAYS AND ELEMENTS

Available with activated carbon, potassium permanganate or blended media

Refillable Carbon Trays

- Wide variety of sizes to fit various manufacturers' housings
- Cold rolled steel frame

AG-12 Element

- Fits Purafil and Flanders housings
- Refillable design
- Contains 30 pounds of carbon

AG-18 Element

- Fits AG-22 and Purafil PC-22 housings
- Refillable and disposable models
- Contains 30 pounds of carbon

CARBON FILTER HOUSINGS



AG-2000 Front Access Housing

- 14 gauge cold rolled steel construction
- Easily removable access grid
- Contains 90 pounds of carbon (10 trays)



Side Access Housings

- 16 gauge steel construction
- Adaptor flanges to match up with air handling units
- 2" pre-filter or after filter track

AG-14 Carbon Housing

- 16 gauge cold rolled steel construction
- Holds four IAQ-100 carbon panels
- Built-in pre-filter and final filter tracks
- Contains 48 pounds of carbon

AG-22 Carbon Housing

- 16 gauge cold rolled steel construction
- Holds four AG-18 carbon elements
- Contains 72 pounds of carbon

AUTOMATIC ROLL FILTER MEDIAS

Choose from several styles of media to fit major brands of auto roll equipment, including:



Airguard, AAF®, Air Maze, BLC, Cambridge, Carrier®, Commercial, Continental, Farr®, MSA, Trane®.

◀ FIBERGLASS MEDIAS

- Progressive density media construction
- 2-1/2" thick
- Scrim mesh netting backing for high tensile strength
- Adhesive coated for high dust holding capacity
- 70 - 90% arrestance

SYNTHETIC MEDIAS

- 1/2", 1" thicknesses
- Scrim mesh netting backing for high tensile strength
- Dry and tackified medias
- 70 - 90% arrestance

INTERNALLY SUPPORTED FILTERS

Designed for use with compatible wire basket retainers



◀ Series AG Filter Elements

For use in Farr® HP Series systems

- Deep pleated media design
- Collapsible for compact shipping and storage
- Three depths - 8", 12", 24"
- Four efficiencies -
 - MERV 14 (90 - 95%)
 - MERV 13 (80 - 85%)
 - MERV 11 (60 - 65%)
 - MERV 7 (25 - 30%)



ANTIMICROBIAL TREATED FILTERS

For improved IAQ applications to inhibit growth of microorganisms on the filters.

Bio•Pure® ...no other manufacturer has a broader line of antimicrobial treated filters than Airguard. Life cycle tests verify continued effectiveness over the life of the filter.



Bio•Pure® High Efficiency Rigid Cell Supported Pleat Filters

- Ultrafine microglass paper media
- 90 - 95% efficiency
- Corrugated aluminum separators



Bio•Pure® Pleated Panel Filters

- 1", 2", 4" thicknesses
- Available with 14.3 and 10 pleats per foot (2")
- MERV 7 (25 - 30%) efficiency



Bio•Pure® High Efficiency Bag Filters

- Dual layer microfine synthetic media
- Wide variety of pocket lengths and counts
- Double lock stitched pocket formation
- Fail safe mechanically staked pocket attachment
- 2 efficiencies
MERV 14 (90 - 95%)
MERV 13 (80 - 85%)



Bio•Pure® High Efficiency Rigid Cell Box Filters

- Dual layer microfine synthetic media
- Pleated media design with pleat stabilizers on both sides
- 2 efficiencies
MERV 14 (90 - 95%)
MERV 13 (80 - 85%)

PAINT SPRAY BOOTH FILTERS

Complete line of air filters for paint spray booth applications.



INTAKE PANEL FILTERS

- Self-sealing - No latches required
- Internal wire support frame
- Tackified for high particle retention
- 90 - 95% arrestance

Activator Series - 2-Ply or 3-Ply media construction

Activator Series



ATI-600



ATI-300



DIFFUSION MAX ATI-300 & ATI-600

- Dual layer media construction with scrim backing
- Internal wire support frame



Type AG/FG fiberglass



Stackguard



Poly backed paper

PAINT ARRESTOR MEDIAS

Select from a wide variety of paint overspray collection medias

- Fiberglass
- Stackguard® polyester backed fiberglass
- Type AG/PS polyester
- Expanded paper
- Polyester backed expanded paper



**RING PANELS, SELF-SUPPORTED
POCKET FILTERS & POLYESTER MEDIA**



RING PANELS, LINKS, SLIP-ONS

**The Activator™ Series
Select from 2-ply and 3-ply models**

2-Ply - MERV 6

3-Ply - MERV 7

- Self sealing, no latches required
- Tackified media
- Made from tough, polyester fibers

Slip-On Panel




3-ply, MERV 7

2-ply, MERV 6



StreamLine™ Polyester Medias

- Select from three choices of medias - 1/2", 1", 2" thicknesses
- Made from multi-denier, recycled polyester fibers
- Tackifier increases particle retention
- 85 - 95% arrestance



SynPak

- Three ply media construction
- 15" deep, 2, 3 or 4 pockets
- MERV 8 (35 - 40%) efficiency



Ultra II

- Air Flow 150 FPM
- Initial Static .05" W.G.
- Average Paint Spray Removal Efficiency 99.70%
- Pads and Blankets cut to size
- Bags available in two and three pocket models




Bio-Pure® Polyester Media

- 1/2", 1", 2" thicknesses
- Made from recycled polyester fibers
- Available in pads and bulk rolls
- Tackified media
- 85 - 90% arrestance



Bio-Pure® Ring Panels and Links

- 2-ply media construction
- Self-sealing, no latches required
- Tackified media
- MERV 6 (85 - 90%) arrestance



REPLACEMENT FILTERS FOR TURBOMACHINERY AIR INTAKE SYSTEMS

FINAL FILTERS FOR BARRIER FILTER SYSTEMS

PREFILTERS FOR BARRIER FILTER SYSTEMS



Type DPGT Pleated Panel Filters

- 100% synthetic fiber media
- Die cut beverage board frame
- Pleat stabilizer fingers
- MERV 8 (30 - 35%) efficiency

Filter Media Pads

- Fiberglass (2", 4")
- Synthetic (2")



Vari+Plus® VP

- All plastic construction
- No metal components
- No rivets, screws, faceguards or cross bars
- Dura-Tuff 100% synthetic media resists tearing, abrasion
- Chemical and corrosion resistant
- Fully incinerable
- V-bank assembly of mini-pleat media packs
- Available with Vari-Pad direct mount pocket style prefilter
- 2 efficiencies
 - MERV 15 (90 - 95%)
 - MERV 11 (60 - 65%)



Duraflow®

- Ultrafine microglass paper media
- Corrugated aluminum separators
- Galvanized steel construction
- Faceguards on both sides
- 90 - 95%, 60 - 65% efficiencies

Vari-Pak® GT

- High loft fiberglass or synthetic media
- Expanded metal pleat support
- Pleat support stabilizers on both sides
- 90 - 95%, 80 - 85%, 60 - 65% on both sides
- 90 - 95%, 80 - 85%, 60 - 65% efficiencies

HOLDING FRAMES & LATCHES



Uni-Lok® Filter Holding Frame

Uni-Lok® Filter Holding Frames


- 16 gauge galvanized steel
- Pre-punched mounting holes
- Factory applied gaskets
- Wide variety of latches to hold all types and sizes of filters

Type AG-8 Filter Holding Frames

- Replacement for Farr® Type 8 frames and latches

Type HDS HEPA Holding Frame

- Creates high integrity seal for HEPA installations
- 16 gauge aluminized steel construction
- Two depths - holds 5-7/8" or 11-1/2" deep filters
- Spring loaded clamping bolt



Service Frame

- Holds filter media pads
- Sized to fit inside Uni-Lok, Type AG-8 or other manufacturers' brands of filter holding frames
- 22 gauge galvanized steel frame
- 1/2", 1", 2" thicknesses
- Wire support grid - both sides

RESIDENTIAL AIR FILTRATION PRODUCTS

REPLACEMENT FILTERS FOR RESIDENTIAL AIR CLEANERS

- Trion Air Bear (MERV 8)
- Honeywell (MERV 8)
- Sizes to fit all major models



DIRECT AIR VARIPLUS® AG AGRICULTURE PRODUCTS



HIGH EFFICIENCY, HIGH CAPACITY, MINI-PLEATED PRRS AND MHYO CONTAINMENT AIR FILTER

Vari+Plus® AG

- Significantly reduces the aerosol transmission of PRRS virus and MHYO bacteria
- Log 6 removal performance/MERV 15
- 100% synthetic media resistant to moist, corrosive environments
- Delivers more airflow than competitor products


SIDE ACCESS HOUSINGS



Flat Bank Housing

Flat Bank Housings

- Single stage units
- Holds 2" or 4" thick filters
- 16 gauge aluminized steel construction



V-Bank Housing

V-Bank Housings

- V-bank filter arrangement
- Holds 2" thick filters
- 16 gauge aluminized steel construction
- Adaptor flanges for air handling units or ductwork arrangements

HEPA Lock Side Access Housing

- 16 gauge aluminized steel construction
- 24" deep - holds 5-7/8" or 11-1/2" deep filters
- Lever action filter clamping mechanism



HEPA Lock Side Access Housing



Two Stage Housing

Two Stage Housings

- Five depths - 12", 21", 26", 38", 42"
- 2" or 4" prefilter track with 1" track for header style final filter
- 16 gauge aluminized steel construction
- Adaptor flanges for air handling units or ductwork arrangements

INNOVATIVE CLEAN AIR SOLUTIONS



Airguard Products Providing Clean Air for People and Processes Worldwide...

Office Buildings

Malls and Shopping Centers

Schools

Cleanrooms

Hospitals



Automotive Manufacturing



Gas Turbines



Museums

Founded in 1964, Airguard has grown to be one of the world's foremost manufacturers of air filtration products for the commercial, industrial and institutional markets.

The basic premise on which the company was founded is to provide replacement filters for all types of HVAC systems. Whatever type of air filtration equipment is installed in your facilities, Airguard can provide a direct replacement or recommend alternatives for improved indoor air quality, lower cost and longer service life.

Airguard offers products in every category of air filters from disposable panel filters and pleated filters to high efficiency extended surface filters and HEPA filters. A wide variety of filters for specialized applications is also available, including paint overspray collection, lint and ink mist collection and gas-phase adsorption.

No other air filter manufacturer has a broader line of products to meet the demanding needs of an increasingly complex market.

AG-ALL-1014

